




COBATrack Mat

Deploy Heavy-Duty Access in Minutes

- Manufactured from recycled HDPE for strength and sustainability
- Supports loads up to 5 tonnes, depending on ground conditions
- Dual surface design with traction pattern and checker plate reverse
- Integrated carry handles improve manual handling efficiency
- Pre-formed connection holes enable secure linking
- 10 mm thick construction for durable temporary roadways
- Compatible with PU and steel connectors for secure configuration
- Designed for repeat use across construction, events and car parks
- Regularly deployed for temporary roadways, compound access, cabin sitting and car park overspill
- A practical solution for builders' merchants, contractors and facilities teams needing to prevent rutting and ground damage during vehicle movement



Parts

Part Number	Size	Colour	Weight (kg)
TT010001	915 mm x 2.4 m	Black	20


Technical Specifications

Material	High-Density Polyethylene (HDPE)
Surface Finish	Heavy nonslip traction / checker plate surface
Min. Operating Temperature	-20°C
Max. Operating Temperature	+40°C
Environmental Resistance	All weather conditions
Typical Applications	Festivals, temporary kitchens, light construction, outdoor markets, golf courses
Installation Method	Loose lay

COBATrack Steel Connector

Reusable Steel Connectors for COBATrack Mats

- Designed to securely connect COBATrack ground protection mats
- Bolt-free design enables faster installation on-site
- Available in both single and double connector formats
- Strong, secure fit helps reduce mat movement under load
- Durable steel construction for demanding environments
- Quick to install and easy to remove between projects
- Ideal for temporary access routes and reusable mat systems



Parts

Part Number	Size	Colour	Weight (kg)
CT01SDC	20.5 cm x 13.7 cm	Steel	0.4
CT01SSC	20.5 cm x 2 cm	Steel	0.1

Technical Specifications

Material	Steel
Typical Applications	Used to connect COBATrack Mats

COBATrack PU Connector

Reusable PU Connectors supplied with bolts for COBATrack Mats

- Reusable connectors designed specifically for COBATrack ground protection mats
- Available in both PU (bolt-fixed) and steel (tool-free) options
- Single and double connector formats to suit different layouts
- PU connectors supplied with plates and bolts for a strong, secure connection
- Steel connectors enable quick installation with no bolts required
- Provides a stable link between mats to reduce movement under load
- Quick to install and easy to remove for temporary or repeat use
- Durable construction suitable for demanding site conditions



Parts

Part Number	Size	Colour	Weight (kg)
CT01PUDC	19.3 cm x 19.3 cm	Black	1
CT01PUSC	19.3 cm x 6.3 cm	Black	0.45

Technical Specifications

Material	PU
Typical Applications	Used to connect COBATrack Mats